



S/N 10/673,638

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: John D. Litvay Examiner: Jacqueline F. Stephens
Serial No.: 10/673,638 Art Unit: 3761
Filing Date: September 30, 2003 Attorney Docket No.: 35667 (13222.40)
For: PERFORMANCE INDEX FOR ABSORBENT ARTICLES HAVING
IMPROVED LEAKAGE PERFORMANCE

PETITION FOR A TWO-MONTH EXTENSION OF TIME

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

In accordance with the provision of 37 CFR § 1.136(a), it is respectfully requested that a two-month extension of time be granted in which to respond to the Amendment & Response Filed mailed January 25, 2007, said period of response being extended from April 25, 2007 to June 25, 2007.

Please charge Deposit Account No. 50-3790 an amount of \$450.00 for filing fee.

Respectfully submitted,

John D. Litvay
c/o Tyco Healthcare Retail Group, Inc.
601 Allendale Road
King of Prussia, PA 19406

Date: 6/20/2007

By: Michael E. Dukes
Michael E. Dukes
Spilman Thomas & Battle, PLLC
Reg. No. 59,878
(304) 291-7920

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: MS AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 20 day of June, 2007.

Deborah J. Peterson
Name

Deborah J. Peterson
Signature

06/26/2007 EAREGAY1 00000069 533799 10673638

01 FC:1252

450.00 DA